

What is claimed is:

1. A dispenser for folded absorbent sheet products,  
comprising a container body for holding a stack of said  
5 absorbent sheet products, and at least two  
interchangeable face plates each connectable to said  
container body and each, when connected to said container  
body, partially closing said container at one end, a  
first of said interchangeable face plates having a first  
10 elongated dispensing opening exposing a bottom region of  
said stack, thereby to permit dispensing of absorbent  
sheet products one-by-one, and a second of said  
interchangeable face plates having a second elongated  
dispensing opening exposing an edge region of said stack,  
15 thereby to permit dispensing a plurality of said folded  
absorbent sheet products simultaneously.

2. The dispenser according to claim 1, further  
comprising a stack of folded absorbent sheet products  
20 disposed within said container body.

3. The dispenser according to claim 2, wherein said  
stack of folded absorbent sheet products are interfolded  
paper napkins.

25

4. The dispenser according to claim 3, wherein said paper napkins are each quarter-folded.

5. The dispenser according to claim 1, further comprising a stand having a base for supporting the dispenser on a horizontal surface.

6. The dispenser according to claim 5, wherein said stand is detachable from said body.

10

7. The dispenser according to claim 6, wherein said body comprises mounting structures for mounting said body on a vertical surface.

15 8. The dispenser according to claim 7, wherein said mounting structures for mounting said body on a vertical surface comprise at least two openings formed in a rear wall of said body, for receiving bolts securing said body to said vertical surface.

20

9. The dispenser according to claim 1, wherein said container body comprises a main portion and a cover, and wherein the cover is openable in relation to the main portion to expose an interior of said main portion.

25

10. The dispenser according to claim 9, wherein said  
main portion comprises peripheral flanges extending  
outwardly along at least part of said first section, and  
wherein edge regions of said cover, when closed, rest  
5 upon said flanges.

11. The dispenser according to claim 9, wherein said  
cover is transparent.

10 12. The dispenser according to claim 11, wherein said  
main portion is opaque.